


Three Flute Standard for Aluminum

三齿铝合金加工用标准型



Type & Specifications/类型与规格



D1	D2 h6	L2 js14	L1 js14	Flute No.	Orde No.
3.0	4	8	50	3	1180302020
3.5	4	10	50	3	1180304020
4.0	4	10	50	3	1180306020
2.0	6	8	50	3	1180308020
3.0	6	10	50	3	1180310020
4.0	6	12	50	3	1180312020
5.0	6	12	50	3	1180314020
6.0	6	12	50	3	1180316020
7.0	8	20	60	3	1180318020
8.0	8	20	60	3	1180320020
9.0	10	25	75	3	1180322020
10.0	10	25	75	3	1180324020
12.0	12	25	75	3	1180326020
14.0	14	30	90	3	1180328020
16.0	16	35	100	3	1180330020
18.0	18	40	100	3	1180332020
20.0	20	40	100	3	1180334020

Work Materials/被加工材质


Steels			Cast Iron	Aluminium Alloys	Copper Alloys	Stainless Steel	Titanium Alloys	Graphite
<HRC45	<HRC60	<HRC65						
				◎	◎			
◎ Preferential			○ Suitable					

Three Flute Long Length for Aluminum

三齿铝合金加工用加长型



Type & Specifications/类型与规格



D1	D2 h6	L2 js14	L1 js14	Flute No.	Orde No.
3.0	4	12	60	3	1182302020
3.5	4	15	60	3	1182304020
4.0	4	15	60	3	1182306020
5.0	6	25	75	3	1182308020
6.0	6	25	75	3	1182310020
8.0	8	30	75	3	1182320020
10.0	10	40	100	3	1182322020
12.0	12	45	100	3	1182324020
14.0	14	45	100	3	1182326020
16.0	16	60	150	3	1182328020
18.0	18	60	150	3	1182330020
20.0	20	60	150	3	1182332020
25.0	25	70	150	3	1182334020

Work Materials/被加工材质

Steels			Cast Iron	Aluminium Alloys	Copper Alloys	Stainless Steel	Titanium Alloys	Graphite
<HRC45	<HRC60	<HRC65						
				◎	◎			
◎ Preferential			○ Suitable					


Three Flute Standard for Aluminum

三齿铝合金加工用标准型



Type & Specifications / 类型与规格

D1	D2 h6	L2 js14	L1 js14	Flute No.	Orde No.
2.0	3	6	38	3	L1183302020
2.5	3	7	38	3	L1183303020
3.0	3	7	38	3	L1183304020
3.5	4	10	50	3	L1183305020
4.0	4	10	50	3	L1183306020
4.5	5	11	50	3	L1183307020
5.0	5	11	57	3	L1183308020
5.5	6	13	57	3	L1183309020
6.0	6	13	57	3	L1183310020
7.0	8	16	63	3	L1183311020
8.0	8	19	63	3	L1183312020
9.0	10	19	72	3	L1183313020
10.0	10	22	72	3	L1183314020
12.0	12	26	83	3	L1183316020
14.0	14	26	83	3	L1183318020
16.0	16	32	92	3	L1183320020
18.0	18	32	92	3	L1183322020
20.0	20	38	104	3	L1183324020
25.0	25	38	104	3	L1183326020



Three Flute Long Length for Aluminum

三齿铝合金加工用加长型

MG

TYPE W

TYPE W

45°

DIN 6527

Type & Specifications/类型与规格

D1	D2 h6	L2 js14	L1 js14	Flute No.	Orde No.
3.0	3	15	57	3	L1184301020
3.5	4	19	57	3	L1184302020
4.0	4	19	57	3	L1184303020
4.5	5	25	63	3	L1184304020
5.0	5	25	63	3	L1184305020
5.5	6	25	75	3	L1184306020
6.0	6	25	75	3	L1184307020
8.0	8	30	75	3	L1184308020
10.0	10	35	90	3	L1184310020
12.0	12	45	100	3	L1184312020
14.0	14	45	100	3	L1184314020
16.0	16	50	100	3	L1184316020
18.0	18	50	100	3	L1184318020
20.0	20	60	120	3	L1184320020
25.0	25	60	120	3	L1184322020



Carbide End Mills